AMENDMENTS TO THE CLAIMS:

1. (Currently Amended) A driver of an electric compressor for driving amotor a dc brushless motor.

wherein said driver operates such that an ac current having a sine-waveform is output to the dc brush-less motor,

wherein which said driver drives a compressing mechanism that sucks fluid, and then compresses and discharges the fluid, and

wherein <u>said</u> the driver controls <u>the dc brush-less motor</u> such that a current-phase of winding of <u>the dc brush-less</u> the motor is advanced uniquely with respect to an induction voltage-phase generated in the winding at <u>a</u> start of driving the compressor, <u>and</u> then the advancement of the current-phase is reduced.

- 2. (Currently Amended) The driver of claim 1, wherein said driver controls the dc brush-less motor such that the advancement of the current-phase is reduced at one of when a given length of time passes and when the dc brush-less the motor reaches a given revolutions per minute (rpm) rpm.
- 3. (Currently Amended) The driver of claim 1, wherein said driver draws instantaneous maximum torque of the dc brush-less the motor depending on the advancement of the current-phase of the winding.

- 4. (Currently Amended) The driver of claim 1, wherein the dc brush-less motor is a sensor-less dc brush-less motor which includes a stator winding and a rotor magnet, and which determines a position of the rotor magnet by detecting a current flowing through the stator winding switches a dc voltage supplied from a dc power supply for outputting an ac in sine-waveform to a sensor-less dc brush-less motor, and detects a current flowing through a stator winding for determining a position of a rotor, having a permanent magnet, of the sensor-less dc brush-less motor, so that the switching of the dc voltage is controlled.
- 5. (Currently Amended) The driver of claim 4, wherein <u>said driver utilizes</u> the switching is done in three-phase modulation.
- 6. (Currently Amended) The driver of claim 1, wherein <u>said</u> the driver is mounted to a car air-conditioner.
- 7. (Currently Amended) The driver of claim 2, wherein <u>said</u> the driver is mounted to a car air-conditioner.
- 8. (Currently Amended) The driver of claim 3, wherein <u>said</u> the driver is mounted to a car air-conditioner.

- 9. (Currently Amended) The driver of claim 4, wherein <u>said</u> the driver is mounted to a car air-conditioner.
- 10. (Currently Amended) The driver of claim 5, wherein <u>said</u> the driver is mounted to a car air-conditioner.
- 11. (New) The driver of claim 1, wherein said driver controls the dc brush-less motor such that the advancement of the current-phase is reduced when a given length of time passes.
- 12. (New) The driver of claim 1, wherein the dc brush-less motor is an interior permanent magnet (IPM) motor.